

TVA EnergyRight Home Energy Rebate Schedule¹

Upgrade	Project	Amount	Unit
HVAC System	TVA Preferred Air Source Heat Pump ^{2,4,5}	\$1,500	per system
HVAC System	Geothermal Heat Pump ^{2,4}	\$1,500	per system
HVAC System	Mini Split – 22 SEER/21.0 SEER2 or higher ^{2,4}	\$1,250	per system
HVAC System	Mini Split – 19 SEER/18.1 SEER2 ^{2,4}	\$1,100	per system
HVAC System	Mini Split – 18 SEER/17.2 SEER2 ^{2,4}	\$1,000	per system
HVAC System	Air Source Heat Pump – 22 SEER/21.0 SEER2 or higher ^{2,4}	\$750	per system
HVAC System	Air Source Heat Pump – 18 SEER/17.2 SEER2 ^{2,4}	\$500	per system
HVAC System	Air Source Heat Pump – 17 SEER/16.2 SEER2 ^{2,4}	\$400	per system
HVAC System	Air Source Heat Pump – 16 SEER/15.3 SEER2 ^{2,4}	\$300	per system
HVAC System	Air Source Heat Pump – 15 SEER/14.3 SEER2 ^{2,4}	\$100	per system
HVAC System	Central Air Conditioner – 17 SEER/16.2 SEER2 or higher ²	\$700	per system
HVAC System	Central Air Conditioner – 16 SEER/15.3 SEER2 ²	\$300	per system
HVAC System	Dual Fuel Heat Pump – 18 SEER/17.2 SEER2 or higher ^{2,4}	\$600	per system
HVAC System	Dual Fuel Heat Pump – 16 SEER/15.3 SEER2 ^{2,4}	\$400	per system
HVAC System	Dual Fuel Heat Pump – 15 SEER/14.3 SEER2 ^{2,4}	\$100	per system
HVAC System	Tune-up for Existing Heat Pump or Central Air Conditioning System ⁶	\$50	per system
Duct System	Duct Sealing, Repair, Insulation, or Replacement ³	\$300	per system
Water Heating	Heat Pump Water Heater ^{2,4}	\$500	per unit
Air Sealing	Envelope Air Sealing	\$300	per home
Insulation	Attic Insulation	\$300	per home
Insulation	Wall Insulation	\$300	per home
Insulation	Floor Insulation	\$100	per home
Windows & Doors	Window Replacement ²	\$15	per window

¹ Must be installed by an approved QCN member and meet TVA Standards effective on installation date. All measures, except Window Replacement, eligible for program financing.

² Must replace existing unit(s).

³ Must be for existing or replacement HVAC system.

⁴ Must replace existing electric heat source.

⁵ Defined as a minimum 15.3 SEER2 and 8.1 HSPF2 all-electric heat pump with a variable speed compressor, excluding two-stage compressors, system produces 100% of rated heating capacity without backup heat at 17 degrees F, cooling capacity cannot exceed 125% of cooling load at design conditions, and is installed by a manufacturer certified installer. QCN must provide Manual J 8th edition with project submission.

⁶ One HVAC tune-up per system per year, electric system only.